

食品實驗室-台北
FOOD LAB-TAIPEI
檢驗報告
Test Report

台灣可林生化科技有限公司
 高雄市仁武區竹後里竹業巷17號

報告編號： FA/2012/41312
 日期： 2012/04/20
 頁數： 1 of 1



以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 台灣可林氣態二氧化氯水溶液
申請廠商： 台灣可林生化科技有限公司
送樣日期： 2012/04/11
測試日期： 2012/04/17
測試條件： 樣品稀釋10倍後置於噴霧器內噴入(密閉)4坪空間(使用最大噴出量)並取0分鐘、2小時、4小時之空氣,分析空氣菌落數。

測試結果：

測試項目	測試方法	時間	測試結果	檢測極限	單位	滅菌率(%)
總生菌數	RCS	0分鐘	1.4X10 ²	---	CFU/100L*	---
總生菌數	RCS	2小時	4.5X10 ¹	---	CFU/100L	67.9
總生菌數	RCS	4小時	1.0X10 ¹	---	CFU/100L	92.9

備註：1. 本報告不得分離或擷錄使用。
 2. 低於方法偵測極限之測定值以 "陰性"或" 未檢出 " 表示。
 3. *抽樣時間為4分鐘,相當於160L。

- END -



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明, 此報告結果僅對測試的樣品負責。本報告未經本公司書面許可, 不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.